


Chemical changes


Atom

The smallest particle of matter, which all things are made of.




Element


A pure substance that is made of only one type of atom. All atoms of an element are identical, e.g. Gold is an element made up of gold atoms only. The 118 known elements are listed on the periodic table of elements.



The atoms of some elements do not join together, but instead they stay as separate atoms, e.g. helium.



The atoms of other elements join together to make **molecules**, e.g. oxygen and hydrogen.




Properties of elements

Individual atoms do not have the properties of the element. The properties of an element are because of the arrangement and behaviour of the atoms as a group.

Metals	Non-metals
most are shiny	most are dull
most are hard	solid non-metals are soft and easy to cut, except carbon as diamond
most are strong	most are not strong
most are sonorous (makes a ringing sound when hit)	most are not sonorous
malleable (easy to reshape without breaking)	not malleable
most are ductile (can be drawn out into a long wire without breaking)	not ductile
most have very high melting and boiling points	most have very low melting and boiling points
some but not all are magnetic	not magnetic
conduct electricity	non-metals do not conduct electricity, except carbon as graphite
good at conducting heat	poor at conducting heat

Writing element symbols

The first letter is always written as a capital letter and if there is a second letter, it is always written as a lowercase letter. Element symbols make writing elements easier and allow scientists all over the world to communicate and write about them.




sodium oxygen



Chemical changes

Compound


A substance made of two or more different elements chemically joined (bonded) together. A chemical bond is a strong force that holds atoms together in a compound. Lots of energy is needed to break a chemical bond. A compound cannot be easily separated. A compound may have very different properties to those of the elements from which it is made. Water is a compound of hydrogen and oxygen. Each of its molecules contains two hydrogen atoms and one oxygen atom.



Chemical reactions

When chemicals react, the atoms are rearranged.

For example, iron reacts with sulfur to



make iron sulfide. Iron sulfide, the compound formed in this reaction, has different properties to the elements it is made from.

	iron	sulfur	iron sulfide
Type of substance	element	element	compound
Colour	silvery grey	yellow	black
Is it attracted to a magnet?	yes	no	no

Conservation of mass

Atoms are not destroyed nor created during chemical reactions, so in any reaction:

Total mass of reactants = total mass of products

Naming metal and non-metal compounds

The metal element (furthest left on the periodic table) comes first in the name of the compound. The ending for the non-metal is shortened and changed to '-ide'. E.g. iron + sulfur → iron sulfide

Naming three element compounds containing oxygen

The metal element (furthest left on the periodic table) comes first in the name of the compound. If there are three elements in the compound, and one of them is oxygen, the ending of the non-metal is shortened and changed to '-ate'. E.g. lithium + nitrogen + oxygen → lithium nitrate

Chemical formulae


A chemical formula uses chemical symbols and numbers to show how many of each atom is present in a compound.

The small numbers (subscript) go at the bottom.

For example:

CO₂ is correct;

CO₂ and CO² are wrong.



The formula for sodium carbonate is Na₂CO₃. It tells you that sodium carbonate contains two sodium atoms (Na x 2), one carbon atom (C) and three oxygen atoms (O x 3).

Chemical changes

Chemical equations

We summarise chemical reactions using equations:

reactants → products

- **Reactants** are shown on the **left** of the arrow;
- **Products** are shown on the **right** of the arrow.

Do not write an '=' sign instead of an arrow.

If there is more than one reactant or product, they are separated by a '+' sign. For example:

copper + oxygen → copper oxide

Reactants: copper and oxygen
Products: copper oxide

A **word equation** shows the names of each substance involved in a reaction and **must not include any chemical symbols or formulae**.

Oxidation reactions

In oxidation reactions, a substance gains oxygen. Metals and non-metals can take part in oxidation reactions (be oxidised).

Magnesium reacts with oxygen to form magnesium oxide:
magnesium + oxygen → magnesium oxide
 $2\text{Mg(s)} + \text{O}_2\text{(g)} \rightarrow 2\text{MgO(s)}$


Carbon reacts with oxygen to form carbon dioxide:
carbon + oxygen → carbon dioxide
 $\text{C(s)} + \text{O}_2\text{(g)} \rightarrow \text{CO}_2\text{(g)}$

Another example is a combustion reaction, where we burn fuels in oxygen:

Fuel + oxygen → carbon dioxide + water

methane + oxygen → water + carbon dioxide

- Combustion is another name for burning fuels.
- It is an exothermic reaction.
- The fire triangle shows three components which, when combined, provide the right conditions for combustion to happen.



Thermal decomposition reactions

This is the breaking down of a substance, using heat, to form two or more products. It is an endothermic reaction. Many metal carbonates take part in thermal decomposition reactions. For example, copper carbonate:

copper carbonate is green; copper oxide is black.
copper carbonate → copper oxide + carbon dioxide
 $\text{CuCO}_3\text{(s)} \rightarrow \text{CuO(s)} + \text{CO}_2\text{(g)}$

Exothermic and Endothermic reactions

- **Exothermic** reaction - **transfers** energy to the thermal store of the surroundings. This causes a **rise** in temperature (**positive** temperature change).
- Hand warmers transfer energy to the thermal store of the surroundings by an exothermic oxidation reaction.
- **Endothermic** reaction - **transfers** energy in from the thermal store of the surroundings. This causes a **drop** in temperature (**negative** temperature change).
- Sports injury packs transfer energy from the thermal store of the surroundings by an endothermic reaction.

Temperature data collected from exothermic and endothermic reactions can be improved by:

- Using a **polystyrene cup** as an insulator, as it reduces energy transfers to or from the surroundings.
- Using a **lid** to reduce energy transferred from the surface.
- Using a **digital thermometer**, which is easier to read than a regular thermometer and, if it measures in decimal places, also has better resolution.

State symbols in chemical formulae provide information about the physical state of the reactants and products.

(s) – solid, (l) – liquid, (g) – gas, and (aq) – aqueous solution (i.e. dissolved in water).

The state symbol comes after the chemical formula and is written in lower case and in brackets. E.g. $\text{CuCO}_3\text{(s)} \rightarrow \text{CuO(s)} + \text{CO}_2\text{(g)}$

